



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

Sw

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/982,663	10/17/2001	Masato Nogawa	30033.0004	7649

7590 12/23/2004

Michael F. Scalise  
Hodgson Russ LLP  
Suite 2000  
One M&T Plaza  
Buffalo, NY 14203-2391

EXAMINER

PETERSON, KENNETH E

ART UNIT PAPER NUMBER

3724

DATE MAILED: 12/23/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

## Office Action Summary

Application No.

09/982,663

Applicant(s)

NOGAWA ET AL.

Examiner

Kenneth E Peterson

Art Unit

3724

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 03 November 2004.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 9-54 is/are pending in the application.
- 4a) Of the above claim(s) 11-14 and 16-54 is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 9, 10 and 15 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☒ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date 05mar02, 02jan04.
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_.

Art Unit: 3724

1. Claims 11-14,16-54 are withdrawn from further consideration pursuant to 37 CFR 1.142(b) as being drawn to a nonelected group, there being no allowable generic or linking claim. Election was made without traverse in the reply filed on 03 November 04.

2. The information disclosure statements filed 02 jan 04 and 05 mar 02 fail to comply with 37 CFR 1.98(a)(3) because it does not include a concise explanation of the relevance, as it is presently understood by the individual designated in 37 CFR 1.56(c) most knowledgeable about the content of the information, of each patent listed that is not in the English language. It has been placed in the application file, but only the American patents have been considered.

3. The abstract of the disclosure is objected to because it is over 150 words. Correction is required. See MPEP § 608.01(b).

4. Claim 15 is objected to because of the following informalities:

The terms "the second height" and "the second measuring means" lack proper antecedent basis. It appears that the claim-drafter originally meant to have claim 15 depend from claim 14, instead of claim 9. Appropriate correction is required.

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the

Art Unit: 3724

invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. Claims 9, 10 and 15 rejected under 35 U.S.C. 103(a) as being unpatentable over Applicant's admitted prior art, as set forth on pages 1-5 of Applicant's specification, and in Applicant's figures 9 and 10. The admitted prior art discloses all of the recited features except that the booklet bundle height is inputted by the operator to control the pressing plate (18) height, instead of being automatically inputted by a first measuring means.

Examiner takes Official Notice that it is well known to control the pressing plate height based upon sensors that measure the height of the incoming work to be pressed. An example of such is the patent to Sebelist et al. '542, which teaches height sensors (54) that in turn control the height of the pressing plate (14), as set forth on lines 30-37 of column 2. It would have been obvious to one of ordinary skill in the art to have modified Applicant's admitted prior art by adding a height sensor to control the pressing plate height, as is old and well known and taught by Sebelist, in order to further automate the device, thus increasing operating speed and decreasing human requirements.

In regards to claim 15, it is noted that the "first measuring means" and the "second measuring means" are written in the alternative, therefore the prior art need only show one (the first). The books are considered to be "counted" merely by measuring their height, as generically claimed. Another interpretation is that Sebelist shows two sensors 54 (see figure 1), one being the "first measuring means" and the other being the "second measuring means", as generically claimed.

Art Unit: 3724

7. Made of record but not relied on is a patent to Trovinger showing a booklet maker with a booklet thickness sensor that controls the downline machinery (paragraph spanning columns 9 and 10).

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ken Peterson whose telephone number is 571-272-4512. The examiner can normally be reached on Monday thru Thursday between 7am and 5pm.

In lieu of mailing, it is encouraged that all formal responses be faxed to 703-872-9306. If attempts to reach the examiner are unsuccessful, the examiner's supervisor, Allan Shoap can be reached on 571-272-4514.

kp  
December 21, 2004



**KENNETH E. PETERSON  
PRIMARY EXAMINER**